

# Manage Bans

After you got to read what a ban consists of we have to talk about adding and removing bans.

- [Ingame GUI](#)
- [RestrictIO command](#)
- [File editing](#)

# Ingame GUI

RestrictIO has an ingame GUI that can be opened with `/rio gui`.

# RestrictIO command

You can manage the bans over the console with the `/rio` commands.

Unfortunately you can't edit a ban over console - you have to remove the old and recreate it. Alternatively you can edit a ban with the ingame GUI or by editing the file.

## Adding a ban

```
/rio ban <criteria> <actions> <triggers>
```

- **Criteria:**  
`none` or a comma-separated list of criterias (see [criteria list](#))
- **Actions:**  
`none` or a comma-separated list of actions (see [action list](#))
- **Triggers:**  
`none` or `all` or a comma-separated list of triggers (see [trigger list](#))

If you want to use spaces in strings like in the Message action, use underscores instead of spaces!  
If you explicitly want to use underscores, escape them with a backslashes.

## Examples:

```
rio ban ID(minecraft:wool),meta(12) remove(),Message(This_is_banned!!!) all
```

removes brown wool and gives a message at all incidents.

```
rio ban mod(minecraft) none blockbreak,blockplace
```

blocks any block break or place without any other action

## Removing a ban

`rio unban <index>` removes a ban entry of the ban list at the specified index. You can obtain the index with `/rio list`. Note that if you want to delete several entries, the index may be moved.

# File editing

RestrictIO uses the JSON format for storing the ban entries. The file is located at

```
./config/RestrictIO/restrictedItems.json
```

It is only useful to edit current values as it is fairly simple (i.e. if you don't have enough space for your text in the GUI or console). Adding new criterias/actions/etc. needs you to know the field names (the JSON is a serialization of the data structure in the core). For that you have to look into the [source code](#).

If you have edited your file you can reload it with `rio reload`.